



# Interactive Flat Panel Android 13.0

A9 Pro-II



Android 13.0 OS



TYPE-C



Eye-Protection



Multi-points  
writing



50MP Camera



OTA Update



Smart Optical  
Character  
Recognition



Auto-backlight  
High brightness




Multi-windows



8 Array Mic



## Simply Conference Solution



## 4K UHD Display


All Channels with 4K Display

## Screen Mirror

Get rid of the shackles of the data cable, fast transmission and interact on the same screen through mobile phones, tablets, and computers

## Video Conference


Built-in 50 mega pixel HD camera (FOV 136°)+ 8 array microphone that makes meeting become flexibly and easily



## Multi-windows

Multiple Windows can be displayed on the same screen

## Connection



## User-friendly whiteboard


Smooth writing which makes finger and pen with different experience  
Sensitive response speed that recognizes the thickness of pen to achieve two different colors automatically



Smart Optical Character Recognition



Dual different colors writing




Browser inserted into whiteboard



Support writing on the inserted pictures



Support writing on the PDF file



OTA Firmware Upgrade



| Size                     | GK-880T/65S-A9 Pro-II                                                         | GK-880T/75S-A9 Pro-II                      | GK-880T/86S-A9 Pro-II                      |
|--------------------------|-------------------------------------------------------------------------------|--------------------------------------------|--------------------------------------------|
| Backlight Type           | D-LED                                                                         | D-LED                                      | D-LED                                      |
| Resolution(pixels)       | 3840x2160                                                                     | 3840x2160                                  | 3840x2160                                  |
| Brightness               | 400cd/m <sup>2</sup> (min.),450cd/m2(typ.)                                    | 400cd/m <sup>2</sup> (min.),450cd/m2(typ.) | 400cd/m <sup>2</sup> (min.),450cd/m2(typ.) |
| Aspect Ratio             | 16:9                                                                          | 16:9                                       | 16:9                                       |
| Response Time            | 8ms (typ.)                                                                    | 8ms (typ.)                                 | 8ms (typ.)                                 |
| Pixel Pitch (mm)         | 0.372(H)x0.372(V)                                                             | 0.4296(H)x0.4296(V)                        | 0.4935(H)x0.4935(V)                        |
| Life Time                | 50,000 Hrs(min.)                                                              | 50,000 Hrs(min.)                           | 50,000 Hrs(min.)                           |
| Chipset                  | Amlogic T982                                                                  |                                            |                                            |
| RAM                      | Standard: 4GB DDR4    Optional: 8GB DDR4                                      |                                            |                                            |
| ROM                      | Standard: 32GB    Optional: 128GB                                             |                                            |                                            |
| OS                       | Android 13.0                                                                  |                                            |                                            |
| Pixel                    | 50 Mega pixel                                                                 |                                            |                                            |
| Microphone               | 8 Mic                                                                         |                                            |                                            |
| Front Interface          | Public USB2.0×2、Touch USB×1、HDMI IN×1、Type-C × 1                              |                                            |                                            |
| Rear Interface           | HDMI IN×2、USB 2.0×1、USB 3.0×1、TOUCH USB×1、LAN×2、MIC IN×1、RS232×1、AUDIO OUT ×1 |                                            |                                            |
| Product Size (W x D x H) | 1484.0 x87.4 x911.6mm                                                         | 1705.00 x87.4 x1036.00mm                   | 1950.4 x87.4 x1174mm                       |
| Package Size (W x D x H) | 1640×185×1010mm                                                               | 1860×185×1140mm                            | 2095x185x1275mm                            |
| Net Weight/Gross Weight  | 40±1KG/52±1KG                                                                 | 53±1KG/72±1KG                              | 68±1KG/82±1KG                              |