



DOCUMENTCAMERA

8megapixelHDscan

Forbusinessandeducation

A4 largeformatshooting



FUNCTIONAL DIVERSITY



8 Mega pixel
HD scan



Comes with
LED fill light



Physical scan
Video recording



A4 large format




Compare with
the screen



OCR text
recognition



Auto-focus




Multiple output

8 MEGA PIXEL HD SCAN

Breaking the traditional
scanning method,using a high-
definition

8 mega pixel camera,fast scan and no
longer wait





COMES WITH LED FILL LIGHT

Uniform light distribution,suitable
for various environments

LENS FREE ROTATION

Using CCD lens, the lens has its own negative film slot, which can directly display the negative film without button switching






**FOLDABLE STORAGE
TAKES NO SPACE**

Foldable,easy to
carry and store

BUTTON OPERATION

Complete functions, simple
operation and long service life





LARGE FORMAT DESIGN

Documents, certificates,
materials, real objects,
A4 and below can be
scanned.



Foldable design for easy storage

DETAILS



LED fill light



HD lens

APPLICATION FIELD



Office



School



Others

Model		GK-9901	GK-9902	GK-9903
Optical system	optical zoom	22x optical zoom, 8x digital zoom	22x optical zoom, 8x digital zoom	22x optical zoom, 10x digital zoom
	Optical focus	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual
	aperture	Automatic	Automatic	Automatic
Image	Imaging element	1/4 inchCMOS	1/2.8 inchCMOS	1/2.8inchCMOS
	Total pixels	8 Mega pixels	8 Mega pixels	8 Mega pixels
	Definition	≥800 TVline	≥900 TVline	≥1200TVline
	Output resolution	1080P\1024*768\1280*1024\720P	1080P\1024*768\1280*1024\720P	1080P\1024*768\1280*1024\720P
	Basic function	Key panel: zoom in and zoom out, freeze, same screen contrast, brightness adjustment, external computer input, light switch.	Key panel: zoom in and zoom out, freeze, same screen contrast, brightness adjustment, external computer input, light switch.	Key panel: zoom in and zoom out, freeze, same screen contrast, brightness adjustment, external computer input, light switchRemote control: color black and white, positive/negative film, image rotation, red/blue gain, image storage, preview deletion, manual focus.
Light	Side light	LED*1	LED*1	LED*1
Input	VGA IN	D-SUB 15-pin socket*1	/	/
	HDMIIN	HDMI*1	HDMI*1	HDMI*1
	Mouse callout	/	/	yes
	MIC	/	/	yes
Output	VGA OUT	D-SUB 15-pin socket*2	/	/
	USB	/	USB2.0X1	USB2.0X1
	HDMIOUT	HDMI*1	HDMI*1	HDMI*2
	Udisk storage	/	/	yes (Audio and video recording)
control	RS232	yes	yes	yes
	Remote control	/	yes	yes
Operating environment	Power	Input: 100-240V 50/60HZ, output: DC 12V/2A		
	weight	N. W. : 2.8kg, G. W. : 4.3kg		
	Temperature	-15° C-45° C		
Product Dimensio		332mmX210mmX490mm (open)、300mmX210mmX100mm (close)		
With browsing function		/	/	16 screens with page turning function to compare on the same screen